



2260 Wendt Street

1-800-275-0020

Algonquin, IL 60102 USA

Obtura Cleaning Solution

Obtura Cleaning Solution

INFOTRAC 1-800-535-5053

Outside U.S. 1-352-323-3500

Young Innovations, Inc. - dba Obtura

822-609, 3069-01A, 823-703, 823-803

d-Limonene / hydrocarbon mixture

residues from metal and other hard surfaces.

A solvent degreasing agent for removing tar, adhesives, grease, oil and other

SAFETY DATA SHEET

Section 1: IDENTIFICATION

Manufactured for: Address: City, State, Zip: Telephone:

Product Item No.: Product Name/Identifier:

Common Name: Chemical Name:

Product Use:

24 hr EMERGENCY PHONE #

Section 2: HAZARD(S) IDENTIFICATION

PHYSICAL HAZARDS Flammable liquids: Category 3

HEALTH HAZARDS

Skin corrosion/irritation: Category 2 Serious eye damage/eye irritation: Category 2A Sensitization, skin: Category 1 Specific target organ toxicity, single exposure: Category 3 narcotic effects Aspiration hazard: Category 1

ENVIRONMENTAL HAZARDS

Not classified.

OSHA DEFINED HAZARDS Not classified.

LABEL ELEMENTS



Signal Word: Danger

Hazard statement: Flammable liquid and vapor. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. May be fatal if swallowed and enters airways.

PRECAUTIONARY STATEMENT

Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosionproof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/ mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/eye protection/face protection.

Response

In case of fire: Use appropriate media to extinguish. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see this label). Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

Storage

Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARD(S) NOT OTHERWISE CLASSIFIED (HNOC): None known.

SUPPLEMENTAL INFORMATION: Not applicable.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

MIXTURES

CHEMICAL NAME	COMMON NAME AND SYNONYMS	CAS NUMBER	%
Distillates Petroleum Hydrotreated Light		64742-47-8	60 - 70
3-Methoxy-3-methyl-1-butanol (MMB)		56539-66-3	10 - 20
d-limonene		5989-27-5	10 - 20

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume

Section 4: FIRST AID MEASURES

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance.

Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/ physician if you feel unwell.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops and persists.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation develops and persists.

Ingestion: Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed: Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the skin. Rash. Symptoms of overexposure can include shortness of breath, drowsiness, headaches, confusion, decreased coordination, visual disturbances and vomiting, and are reversible if exposure is stopped.

Indication of immediate medical attention and special treatment needed: Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim under observation. Symptoms may be delayed.

General information: In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5: FIRE FIGHTING MEASURES

Suitable extinguishing media: Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: By heating and fire, harmful vapors/gases may be formed. Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire fighting equipment/instructions: In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage.

Specific methods: Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. In the event of fire and/or explosion do not breathe fumes.

General fire hazards: Flammable liquid and vapor.

Section 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a noncombustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Use water spray to reduce vapors or divert vapor cloud drift. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS.

ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Section 7: HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING: Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES: Keep away from heat, sparks and open flame. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OCCUPATIONAL EXPOSURE LIMITS

No exposure limits noted for ingredient(s).

BIOLOGICAL LIMIT VALUES: No biological exposure limits noted for the ingredient(s).

APPROPRIATE ENGINEERING CONTROLS: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT

Eye/face protection: Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.

Skin protection

Hand protection: Chemical resistant gloves are recommended.

Other: Wear suitable protective clothing.

Respiratory protection: No personal respiratory protective equipment normally required. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection.

Thermal hazards: Not applicable.

General hygiene considerations: When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9: PHYSICAL & CHEMICAL PROPERTIES

Appearance	Upper/lower flammability or explosive limits
Physical state: Liquid.	Flammability limit - lower (%): 0.7 %
Form: Liquid.	Flammability limit - upper (%): 6 %
Color: Clear, Off-white.	Explosive limit - lower (%): Not available.
	Explosive limit - upper (%): Not available.
Odor: Orange	Vapor pressure: < 5 mm Hg @ 20°C
Odor threshold: Not established	Vapor density: > 1 (air = 1)
pH: Not applicable	Relative density: Not available.
Melting point/freezing point: Not established	Solubility(ies) Solubility (water): < 15 %
Initial boiling point and boiling range: > 302 °F (> 150 °C)	Partition coefficient (n-octanol/water): Not established
Flash point: 104.0 °F (40.0 °C) Tag Closed Cup	Auto-ignition temperature: > 392 °F (> 200 °C)
Evaporation rate: > 0.1 BuAc	Decomposition temperature: Not established
Flammability (solid, gas): Not available.	Viscosity: < 3 cSt @ 25°C

Other information

Heat of combustion: > 30 kJ/g

Percent volatile: 100 %

Specific gravity: 0.82 - 0.86 @ 20°C

VOC (Weight %): 100 % per U.S. State and Federal Consumer Product Regulations CARB

Section 10: STABILITY & REACTIVITY

Reactivity: The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability: Material is stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerization does not occur.

Conditions to avoid: Heat, flames and sparks. Avoid temperatures exceeding the flash point.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Carbon oxides.

Section 11: TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation: May cause drowsiness and dizziness.

Skin contact: Causes skin irritation. May cause sensitization by skin contact.

Eye contact: Causes eye irritation.

Ingestion: Harmful if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics: Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Defatting of the skin. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Information on toxicological effects Acute toxicity: Not expected to be acutely toxic. SPECIES COMPONENTS **TEST RESULTS** 3-Methoxy-3-methyl-1-butanol (MMB) (CAS 56539-66-3) Acute Dermal LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Mouse 5830 mg/kg > 2000 mg/kg Rat Distillates Petroleum Hydrotreated Light (CAS 64742-47-8) <u>Acute</u> Dermal Rabbit LD50 > 2000 mg/kg > 2000 mg/kg, 24 Hours Inhalation > 6.4 mg/l, 6 Hours Aerosol Cat LC50 Rat > 7.5 mg/l, 6 Hours > 4.3 mg/l, 4 Hours Vapor LC50 Rat > 0.1 mg/l, 8 Hours Oral > 5000 mg/kg LD50 Rat d-limonene (CAS 5989-27-5) Acute Oral LD50 5600 - 6600 mg/kg Mouse > 2000 mg/kg Rat Skin corrosion/irritation: Causes skin irritation. Serious eye damage/eye irritation: Causes serious eye irritation. Respiratory or skin sensitization Respiratory sensitization: Not a respiratory sensitizer. Skin sensitization: May cause sensitization by skin contact. Germ cell mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. IARC Monographs. Overall Evaluation of Carcinogenicity: d-limonene (CAS 5989-27-5): 3 Not classifiable as to carcinogenicity to humans. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): Not listed. US. National Toxicology Program (NTP) Report on Carcinogens: Not listed. Reproductive toxicity: This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure: Narcotic effects. Specific target organ toxicity - repeated exposure: Not classified. Aspiration hazard: May be harmful if swallowed and enters airways. If aspirated into lungs during swallowing or vomiting, may cause chemical pneumonia, pulmonary injury or death. Chronic effects: Prolonged exposure may cause chronic effects.

Section 12: ECOLOGICAL	INFORMATION		
Ecotoxicity: Toxic to aquatic life with lo	ong lasting effects.		
COMPONENTS	SPECIES		TEST RESULTS
Distillates Petroleum Hydrotreated Ligh	nt (CAS 64742-47-8)		
Aquatic Fish LC50		but,donaldson trout hynchus mykiss)	2.9 mg/l, 96 hours
d-limonene (CAS 5989-27-5)			
Aquatic Crustacea EC50 Fish LC50		a (Daphnia pulex) v (Pimephales promelas)	69.6 mg/l, 48 hours 0.619 - 0.796 mg/l, 96 hours
Persistence and degradability: Not in	herently biodegradable.		
Bioaccumulative potential: No data av Partition coefficient n-octanol / wate			
Mobility in soil: Readily absorbed into	soil.		
Other adverse effects: None known.			
Section 13: DISPOSAL CO	NSIDERATIONS		
	erial to drain into sewers/water sup	oplies. Do not contaminate ponds, waterwa	al and its container must be disposed of as ays or ditches with chemical or used container.
Hazardous waste code: D001: Waste Flammable material with a	flash point <140 °F		
Waste from residues / unused product This material and its container must be		ocal regulations. Empty containers or liners Disposal instructions).	may retain some product residues.
Contaminated packaging: Empty cont retain product residue, follow label war		oved waste handling site for recycling or dis ied.	sposal. Since emptied containers may
Section 14: TRANSPORTA	TION INFORMATION		
<u>D.O.T.</u>			
UN No:	UN1950	Packing group:	111
UN proper shipping name:	Flammable liquids, n.o.s. (d-limonene, Naptha)	Environmental hazards: Marine pollutant:	No
Transport hazard class(es):	3	Special provisions	B1, B52, IB3, T4, TP1, TP29
Class Subsidiary risk -	-	Packaging non bulk	203
Label(s)	3 Read safety instructions, SDS	r ackaging non bulk	205
Creatial managemetican for success	and emergency procedures before handling. Read safety	Packaging exceptions	150
Special precautions for user:	instructions, SDS and emergency procedures before	Packaging bulk	242
	handling.	May be reclassified as combustible liquid	for domestic transport.
IATA			
UN number	UN1993	Packing group:	Ш
UN proper shipping name:	Flammable liquid, n.o.s. (d-limonene, Naptha)	Environmental hazards	Yes
Transport hazard class(es):	2	Other information:	
Class Subsidiary risk	3	Passenger and cargo aircraft	Allowed with restrictions.
ERG Code	3L	Cargo aircraft only	Allowed with restrictions.
Special precautions for user	Read safety instructions, SDS and procedures before handling.	d emergency procedures before handling. I	Read safety instructions, SDS and emergency

<u>MDG</u>		Packing group:	Ш	
JN No:	UN1993			
JN proper shipping name	FLAMMABLE LIQUID, N.O.S. (d-limonene, Naptha), MARINE POLLUTANT	Environmental hazards: Marine pollutant:	Yes	
ransport hazard class(es): Class Subsidiary risk -	3	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling. Read safety instructions, SDS and emergency procedures before handling.	
Subsidiary risk -	-	EmS	F-E, S-E	
ransport in bulk according to of MARPOL 73/78 and the IBC			· · · · · · · · · · · · · · · · · · ·	
DOT I/	ATA; IMDG MARINE POLLUTANT			
FLAMMABLE GAS				
eneral information: DOT Reg	ulated Marine Pollutant. IMDG Regulated	Marine Pollutant.		
ection 15: REGULA	FORY INFORMATION			
	product is a "Hazardous Chemical" as defines	,		
the OSHA Hazard Communication Standard, 29 CFR 1910.1200. TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)		Not regulated.	ection 112 Hazardous Air Pollutants (HAPs) List	
Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed.		Clean Air Act (CAA) S 68.130) Not regulated.	ection 112(r) Accidental Release Prevention (40 CFR	
NOT listed. SARA 304 Emergency release notification Not regulated.		Safe Drinking Water A Not regulated.	Act (SDWA)	
OSHA Specifically Regulated Not listed.	l Substances (29 CFR 1910.1001-1050)			
S State Regulations		Superfund Amendment	s and Reauthorization Act of 1986 (SARA)	
US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.		Immediate Hazard - Ye Delayed Hazard - No	Immediate Hazard - Yes Delayed Hazard - No	
US. Massachusetts RTK - Sub Not regulated.	ostance List	Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - Nc)	
US. New Jersey Worker and Community Right-to-Know Act Not listed.			SARA 302 Extremely hazardous substance	
US. Pennsylvania Worker an Not listed.	d Community Right-to-Know Law	SARA 311/312 Hazard Yes.	ous chemical	
US. Rhode Island RTK Not regulated.		SARA 313 (TRI report Not regulated.	ing)	
	er and Toxic Enforcement Act of 1986 (Prop n to contain any chemicals currently listed			
nternational Inventories				
Country(s) or Region		Inventory Name	On Inventory (yes/no)*	
Australia		entory of Chemical Substances (AICS)		
Canada Canada		nestic Substances List (DSL) omestic Substances List (NDSL)	Yes No	
China		ng Chemical Substances in China (IEC		
Europe		sting Commercial Chemical Substance		
Europe	European List of	Notified Chemical Substances (ELINC	S) No	
Japan	Inventory of Existi	ng and New Chemical Substances (EN		
Korea	Exi	sting Chemicals List (ECL)	Yes	
New Zealand		New Zealand Inventory	Yes	
Philippines		f Chemicals and Chemical Substances		
United States & Puerto Ri	co Toxic Substa	ances Control Act (TSCA) Inventory	Yes	
Was" indicates that all components of	this product comply with the inventory requirements a	dministered by the governing country(s) A "No" i	ndicates that one or more components of the product are not listed or	

Section 16: OTHER INFORMATION

Disclaimer: The information contained herein is provided in good faith and is believed to be correct as of the date hereof. However, Obtura Spartan makes no recommendation as to the comprehensiveness or accuracy of the information. It is expected that individuals receiving the information will exercise their independent judgment in determining its appropriateness for particular purpose.

NO REPRESENTATIONS, OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR TO THE PRODUCT TO WHICH THE INFORMATION REFERS.

lssue Date: 12/13/2021 Supersedes SDS 08/07/2015 & 11/152019